



Lube Degreaser Spray

Odourless, colourless and evaporating lube degreaser

Description

Fast evaporating, chlorine-free aerosol for the food industry.

Properties

Lube Degreaser Spray meets the FDA requirements for lubricants with incidental food contact, 21 CFR 178.3570 and is NSF H1 registered.

Lube Degreaser Spray allows fast cleaning and stain removal on all metal surfaces.

Lube Degreaser Spray dries quickly at room temperature leaving no traces or residue.

Lube Degreaser Spray is colourless and practically odourless.

Lube Degreaser Spray is formulated without chlorine, fluorine, N-hexane, cyclohexane and aromatic compounds (benzène). Lube Degreaser Spray doesn't contain animal derivatives and allergens listed in Annex II of Directive 2011/1169/EC on food ingredients.

No risk of corrosion on metals.

With its unidirectional powerful spray and its low surface tension, Lube Degreaser Spray can reach and clean parts in hard to reach areas.

Applications

Lube Degreaser Spray is a special anti-seize spray for food industries.

Lube Degreaser Spray is intended for cleaning and degreasing mechanical parts and machine frames contaminated with oil, grease, anti-rust products or other dirt. Lube Degreaser is not recommended for the cleaning of electrical equipment.

Lube Degreaser Spray can be used as an evaporating penetrating oil and lubricant agent for metal parts with a screen connection (nuts, bolts, screws,...) due to its low surface tensions.

Specifications

	Unit	Value
Appearance	-	Liquid
Colour	-	colourless
Propellant gas	-	CO2
Volume	ml	400
NSF Registration	-	158903

Health/Safety

For information about safe handling and use of this product, refer to the Material Safety Data Sheet.

Storage & Handling

Caution pressurized container: protect from sunlight and other heat sources.

Use by Date

3 years after manufacture

Manufacture date can be identified from bottom of bottle as follows:

1. First 3 numbers indicate the day of the specific year (159 – means 159th day of the given year)
2. Letter to indicate production run on the day (A, B, C etc.)
3. Number to indicate filling line (between 1 and 5)
4. Last number for example 9 indicates the year – 2019

Note

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, this data does not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



Terms & Conditions: © 2018. All rights reserved to Moove Lubricants Limited. Mobil and Mobil products named in this material are registered brands and trademarks of Exxon Mobil Corporation or one of its subsidiaries, licensed for use to Moove Lubricants Limited who are responsible for this document and the use of such trademarks within it. No part of this document or any trademark is permitted to be copied, reproduced or otherwise used or applied without prior consent.

Manufactured by Moove Lubricants Limited.
Operations Plant Dering Way, Gravesend, Kent DA12 2QX +44 (0) 1474 564 311